



# Technical specifications

## COVERWRAP

### DIMENSIONS

H 287 x W 444 mm

Different possibilities, see p.2

### COLOUR

CMYK




Questions? Contact [productie@metromedia.be](mailto:productie@metromedia.be) or call +322 227 93 85 for support.



# Technical specifications

COVERWRAP

COVERWRAP 4P



COVERWRAP 3P



COVERWRAP 2P



Questions? Contact [productie@metromedia.be](mailto:productie@metromedia.be) or call +322 227 93 85 for support.



## Delivery

### Resolution

Grayscale / CMYK: 300 dpi  
Max. compression: 300%

### Text

Smallest font  
Positive: corps 8 pt  
Negative (full): corps 10 pt bold  
Negative (grid): corps 12 pt bold

### QR-code

Colour: black & white only  
Resolution: min. 300 dpi  
Dimensions: min. 2,5 cm



### Colour profile

PDF according to the standards  
**Medibel+ (Certified PDF)**

Pick the Medibel-standard according to the media channel that will be used (quality «Newspaper – krant» or «Magazine»)

We suggest to use the  
**IsoCoatedv2 (\_IC)-** or  
**IsoNewspaper26v4 (\_INP)-**  
profile.



### Name PDF-file

When using the profile, you must name the file as following:

ddmmyy\_TIT\_custom\_IC.pdf  
or ddmmyy\_TIT\_custom\_INP.  
pdf

ddmmyy = day/month/year  
TIT = titel of publication  
custom = subject

More info on the Medibel standards: [www.medibelplus.be](http://www.medibelplus.be)



## Send

Via e-mail (max. 5 mb):  
**productie@metromedia.be**  
if > 5 mb via [WeTransfer](#)

or

Via FTP:  
**ftpprod.rossel.be**  
user: metro-ftp-premedia / password: 93KBqfn2V8

### Advertisement materials must be delivered within the deadline of 4 working days before publication.

When you send via FTP, please also send an e-mail to [productie@metromedia.be](mailto:productie@metromedia.be) including:  
a preview of the file(s) (to verify) + the name of the file(s) + date of publication(s).

## ! Remarks

→ Advertisements without bleed will be printed exactly as shown in the PDF file. The file should not contain any crop, registration or colour marks, or any surrounding white space.

→ Every file will be checked (preflighted) automatically for errors regarding the printing process. Files that do not meet the required technical specifications are requested to be corrected and resent.

→ Respected advertising agencies are expected to sent material that meets the Medibel+ standards. If Mass Transit Media NV has to make technical corrections, the agency commission will be forfeit.

→ Images containing an ink coverage of more than 400% will automatically be edited to meet the total area coverage requirements. This could result in deviating colours.

→ We recommend a colour proof on newspaper to serve as a reference for the final appearance. These test prints should be labelled with the date of publication and sent to:

**Metro Media**  
**t.a.v. Productie**  
**Galerie Ravenstein 4**  
**1000 Brussels**  
**Belgium**

## Contact us